




SSM P/N PPG08406




- NOTES**
1. PINS ARE SOLDERED INTO THE BOARD AT THE THROUGH HOLES.
 2. S. R. : SOLDER MASK RESIST OPENING.
 3. THERE IS PLATING (CU/NI/AU) IN THE DIE ATTACH CAVITY, INCLUDING CAVITY WALLS.

UNLESS OTHERWISE SPECIFIED DIMENSIONAL TOLERANCES			
.XXX +/- .005 .XXXX +/- .0001 .0000X +/- .00005		TITLE 84 PLASTIC PIN GRID ARRAY	
DRAFTER	DATE	CAVITY: 0.325	
DRAFTER	DATE	REV. 6	
ENGINEER	DATE	DWG NO.	SCALE
APPROVAL	DATE		SHEET 1 of 3



SSM P/N PPG08406




LEAD TIP DETERMINATION (IN INCH)

LEAD NUMBER	LEAD ANGLE	LEAD CENTER	LEAD START	LEAD END
1	-0.000	0.0000	0.0039	0.0039
2	3.265	0.0128	0.0089	0.0167
3	6.525	0.0257	0.0217	0.0296
4	9.769	0.0386	0.0347	0.0426
5	12.987	0.0517	0.0477	0.0557
6	16.169	0.0651	0.0610	0.0691
7	19.306	0.0786	0.0745	0.0827
8	22.388	0.0924	0.0882	0.0966
9	25.407	0.1066	0.1023	0.1109
10	28.358	0.1211	0.1167	0.1255
11	31.232	0.1360	0.1315	0.1406

UNLESS OTHERWISE SPECIFIED DIMENSIONAL TOLERANCES		TITLE	
JXXX +/- .005	DATE	84 PLASTIC PIN GRID ARRAY	
KXXXX +/- .0001	DATE		
LXXXXX +/- .00005	DATE	CAVITY: 0.325	
ENGINEER <i>[Signature]</i>	DATE 8-23-91	DWG NO.	REV. 6
APPROVAL	DATE	SCALE	SHEET 2 of 3



SSM P/N PPG08406



PAD NO.	PIN NO.	PAD NO.	PIN NO.	PAD NO.	PIN NO.	PAD NO.	PIN NO.
1	B 2	26	K 4	51	G11	76	A 5
2	C 2	27	L 4	52	G 9	77	B 5
3	B 1	28	J 5	53	F 9	78	C 5
4	C 1	29	K 5	54	F11	79	A 4
5	D 2	30	L 5	55	E11	80	B 4
6	D 1	31	K 6	56	E10	81	A 3
7	E 3	32	J 6	57	E 9	82	A 2
8	E 2	33	J 7	58	D11	83	B 3
9	E 1	34	L 7	59	D10	84	A 1
10	F 2	35	K 7	60	C11		
11	F 3	36	L 6	61	B11		
12	G 3	37	L 8	62	C10		
13	G 1	38	K 8	63	A11		
14	G 2	39	L 9	64	B10		
15	F 1	40	L10	65	B 9		
16	H 1	41	K 9	66	A10		
17	H 2	42	L11	67	A 9		
18	J 1	43	K10	68	B 8		
19	K 1	44	J10	69	A 8		
20	J 2	45	K11	70	B 6		
21	L 1	46	J11	71	B 7		
22	K 2	47	H10	72	A 7		
23	K 3	48	H11	73	C 7		
24	L 2	49	F10	74	C 6		
25	L 3	50	G10	75	A 6		

UNLESS OTHERWISE SPECIFIED DIMENSIONAL TOLERANCES			
.XXX +/- .005		TITLE 84 PLASTIC PIN GRID ARRAY	
.XXX +/- .001			
.XXX +/- .0005			
DRAFTER	DATE	CAVITY: 0.325	
DRAFTER	DATE	REV. 6	
ENGINEER <i>[Signature]</i>	DATE 0-23-91	DWG NO.	SCALE
APPROVAL	DATE	SHEET	3 of 3

